## **Tocilizumab (Actemra, Tyenne, Tofidence)**

Provider Order Form rev. 08/08/2025

**Provider Name (print)** 

00ml ☑ CBC w/	: Patient Pl Patient Email:	hone: Height (in/cm):
t Due Date:  ed) s: LABORA  DOml	A Weight (lbs/kg): Preferred Location:	
t Due Date:  ed) s: LABORA  DOml	Preferred Location:	
t Due Date:  ed) s: LABORA  DOml	Preferred Location:	
LABORA		
LABORA  DOml	ATORY ORDERS	
00ml ☑ CBC w/	ATORY ORDERS	
00ml ☑ CBC w/	ATORY ORDERS	
PRE-ME  Tylenol Loratac Pepcid Benadr Other:  NURSIN Hold in  Measu Provide Hypersen:	diff, AST, ALT at Week 4, the sinel at Week 4, then every 6 inel at Week 4	For: Sor active infection. Sor active infection. Sociatedures or recent live e, anorexia, dark urine, anges. NC at least 1000 mm <sup>3</sup> sast 2000mm <sup>3</sup> 1.5 times normal level th appointment procedure, including
F	Preferred Contact Email:	
F	rovider NPI:	
Phone:	Fax:	
City:	State:	Zip Code:
I back of primary ar roids, and disease n	d secondary insurance, 2 inodifying agents	most recent OVN including
1	□ Loratad □ Pepcid □ Benadr □ Solume □ Other:  NURSIN □ Hold in □ Solume □ Provide □ Hypersens □ Provide □ Provide □ Solume □ Solume □ Other: □ Hold in □ Solume □ Provide □ Pr	vaccines.  New abdominal pain, fatigue jaundice or neurological cha For therapy continuation, Al For initial therapy, ANC at le PLT at least to 100,000 mm³ AST or ALT no greater than 1 Measure and record weight at eacl Provide nursing care per Nursing P Hypersensitivity Reaction Manageme procedure observation  Preferred Contact Email: Provider NPI: Phone: Fax:

Date

**Provider Signature**